EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030110124".pn. and (eliminat$4 same profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:19
L2	4	(stor$4 or sav$4 or record$4 or track$4) near3 (search near3 (criter$4 or parameters)) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L3	46	(stor$4 or sav$4 or record$4 or track$4) same (search near3 (criter$4 or parameters)) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L4	2951	((set near3 up) or construct or build) near3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L5	67	L4 and (search adj (criter$4 or paramaters or expressions)) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L6	43	(search near3 (criter$4 or paramaters or expressions)) same (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L7	5	storing near3 search near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L8	49	(search near criteria) same (Information near3 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L9	4	L8 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L10	4	combin$4 same (search near3 criteria) same (generat$4 near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L11	524	combin$4 same quer$4 same (generat$4 near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55

L12	1	combin$4 same quer$4 same (generat$4 near3 query) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L13	25	(combin$4 same quer$4 same (generat$4 near3 query)) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L14	3	L13 and (dynamic near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L15	0	combine near3 (seach near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L16	2817	search same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L17	13	store near3 search near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L18	87	contribution near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L19	3	L18 and (search near3 (criter$3 or parameters or text or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L20	661	(query near3 (constructor or creator or maker or (set near3 up)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L21	49	L20 and ((previous or prior) near3 search$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L22	2989	search near3 criteria near3 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L23	210	L22 and (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55

L24	572	L22 and (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L25	54	L24 and (construct near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L26	7	push near3 search near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L27	32	((limit$4 or relax$4 or narrow$4) near3 search) same (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L28	0	save near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L29	6	sav$4 near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L30	0	push44 near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L31	25	push$4 near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L32	0	combine near3 all near3 search near3 criteria near3 entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L33	399831	combine same (all near3 search near3 criteria) same] entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L34	0	combine same (all near3 search near3 criteria) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L35	0	combine same all same search same criteria same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55

L36	0	combine same all same (search near3 criter$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L37	0	combin$4 same all same (search near3 criter$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L38	0	all same (search near3 criter$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L39	156	combine same (search near3 criter$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L40	7	combine same (search near3 criter$2) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L41	62	combine same (queries) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L42	0	combine near3 (queries or (search near3 criter$3) or (search near3 parameters) or (search near3 string)) near3 entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L43	342	combin$4 same (queries or (search near3 criter$3) or (search near3 parameters) or (search near3 string)) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L44	280	L43 not L41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L45	350	incremental near3 search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L46	413	incremental near3 search$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:55
L47	76	L46 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56

L48	0	incremental near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L49	176	incremental near3 ((search adj (criter$2 or parameters or inputs)) or queries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L50	49	(incremental near3 ((search adj (criter$2 or parameters or inputs)) or queries)) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L51	5899587	((set near3 up) or creat$4 or construct$5 or build)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L52	8276	(((set near3 up) or creat$4 or construct$5 or build) near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L53	1	maintain near3 order near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L54	11	maintain near3 order near3 (search near3 (criteria or parameters or information or data or query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L55	0	L52 same L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L56	1	L54 and L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L57	60	storing near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L58	11	L57 and L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L59	151	(storing or saving or recording or tracking) near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56

L60	91	L59 not L57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L61	4	(storing or saving or recording or tracking) near3 (search near3 criteria) near3 (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L62	1	generate same (information near3 state) same (search near3 (criteria or parameters or information or data or query)) same (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L63	6	(generat$4 or construct$4 or creat$4 or ((set or setting) near3 up) or build$4) same (information near3 state) same (search near3 (criteria or parameters or information or data or query)) same (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L64	150	(generat$4 or construct$4 or creat$4 or ((set or setting) near3 up) or build$4) same (information near3 state) same (search near3 (criteria or parameters or information or data or query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L65	8602485	L64 no L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L66	144	L64 not L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L67	47	((generat$4 or (form or formed or forming) or creat$4) near3 (information near3 state)) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L68	3	((generat$4 or (form or formed or forming) or creat$4) near3 (information near3 state)) same (search near3 (criteria or strings or query or parameters or phrase or data)) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L69	0	derive near3 (information near3 state) near3 (stack near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L70	3	derive same (information near3 state) same (stack near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L71	0	(spoken near3 search) near10 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56

L72	16	(spoken near3 search) near10 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L73	0	(spoken near3 query) near10 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L74	0	(spoken near3 query) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L75	0	(spoken near3 search) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L76	5	(spoken same search) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L77	0	(incremental near3 search) and (search near3 stored near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L78	0	(incremental near3 search) and (search near10 stored near10 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L79	1	(incremental near3 search) and (search same stored same stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L80	17	queue near3 search near3 criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L81	2	"20040034629".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L82	1	"20040034629".pn. and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L83	1	"20040034629".pn. and (queue or cue$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56

L84	1	"20040034629".pn. and (update near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L85	0	"20040034629".pn. and (hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L86	1	"20040034629".pn. and (order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L87	1	"20040034629".pn. and (new near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L88	61	(check or scan) near3 stack near3 entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L89	3	L88 and search near3 criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L90	0	"20040034629".pn. and ((scan or check or read) near3 queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L91	0	"20040034629".pn. and (delete near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L92	0	"20040034629".pn. and ((delete or erase) near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L93	0	"20040034629".pn. and ((delete or erase) same criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L94	0	"20040034629".pn. and (delete or erase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L95	0	"20040034629".pn. and (delete or erase or remove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56

EAST Search History

L96	12595	(delete or erase or remove) near7 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L97	17722	(delete or erase or remove) near7 (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L98	22	(delete or erase or remove) near3 duplicate near3 (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L99	360	(delete or erase or remove) near3 entries near3 new near3 entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L100	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L101	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) same queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L102	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L103	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L104	0	remove near3 (stack or queue) near3 after near3 new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L105	4897	remove same (stack or queue) same new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L106	230	remove near5 (stack or queue) near5 new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L107	0	L106 same (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56

EAST Search History

L108	2	L106 same (search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L109	0	search near3 criteria near3 obtained near3 (natural near3 language near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L110	1	(search near3 criteria) same obtained same (natural near3 language near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L111	0	(search near3 paramaters) same obtained same (natural near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L112	9	(search near3 criter$3) same obtained same (natural near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L113	1	"20040034629".pn. and (product or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L114	0	"20050234872".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L115	2	"20050234872".pn. and search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56
L116	0	"20050234872".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:56